





Rich Katko  
 Business Development Manager  
 Axalta Coating Systems Refinish Systems  
 47802 West Anchor Court  
 Plymouth, Michigan 48170

Rich:  
 The products as listed below, meet Chrysler Group LLC global paint specification requirements and are considered approved for use by Chrysler dealer-owned and dealer-affiliated collision shops.

## Chrysler Approved Paint Systems NA



	<b>US National Rule Compliant Options System for Rigid Substrates (Steel and Aluminum)</b>
Pretreatment Coating	<b>VariPrime<sup>®</sup> 615S<sup>™</sup> Self-Etching Primer</b> <b>25X0S LF Epoxy DTM Primer/Sealer</b>
Primer / Sealer	<b>ChromaPremier<sup>®</sup> 424X0S Sealer</b> <b>ChromaPremier<sup>®</sup> Pro 444X0S Sealer</b> <b>ChromaBase<sup>®</sup> “4 to 1” 77X0S Urethane Sealer</b> <b>ChromaBase<sup>®</sup> “4 to 1” 770XS Urethane Primer Filler</b>
Base Coat	<b>ChromaPremier<sup>®</sup> Base Coat</b> <b>ChromaBase<sup>®</sup> Base Coat</b> <b>Cromax<sup>®</sup> Pro Base Coat</b>
Clear Coat	<b>ChromaPremier<sup>®</sup> 72200S<sup>™</sup> Productive Clearcoat</b> <b>ChromaPremier<sup>®</sup> 72500S<sup>™</sup> Premium Appearance Clearcoat</b> <b>ChromaBase<sup>®</sup> “4 to 1” G2-7779S<sup>™</sup> Panel &amp; Overall Clearcoat</b> <b>ChromaClear<sup>®</sup> G2-4700S<sup>™</sup> Ultra-Productive Air Dry Clearcoat</b> <b>ChromaClear<sup>®</sup> G2-4500S<sup>™</sup> Ultra-Productive Baking Clearcoat</b> <b>ChromaPremier<sup>®</sup> Pro 74500S<sup>™</sup> Productive Clearcoat</b>
Matte Clear	<b>2363S<sup>™</sup> Matting Agent (added to NR Clear)</b>


	<b>California Air Resources Board SCM Compliant Options System for Rigid Substrates (Steel and Aluminum)</b>
---	--


Pretreatment Coating	22880S™ Low VOC Etch Primer
	Cromax® V-2940S LF DTM Epoxy DTM Primer
Primer / Sealer	Cromax® Premier LE LE340XS Urethane Primer Filler
	Cromax® Premier LE LE34X0S Urethane Primer Sealer
Base Coat	Cromax® Pro Base Coat
Clear Coat	Cromax® LE LE5100S™ Multi-Panel Clearcoat
	Cromax® Premier LE LE8300S™ Productive Clearcoat
	Cromax® Premier LE LE8700S™ Premium Appearance Clearcoat
	2363S™ Matting Agent (added to CARB Clear)

Please refer to the most current technical data for each product for product mixing, components and use at [www.axaltacs.com](http://www.axaltacs.com).

## Chrysler Approved Paint Systems NA



	<b>US National Rule Compliant Options System for Flexible Substrates</b>
Adhesion Promoter	Plas-Stick® 2330S™ Adhesion Promoter
Primer / Sealer	ChromaBase® “4 to 1” 77X0S Urethane Sealer plus Plas-Stick® 2350S™ Flexible Additive
Base Coat	ChromaPremier® Base Coat
	ChromaBase® Base Coat
	Cromax® Pro Base Coat
Clear Coat plus Plas-Stick® 2350S™ Flexible Additive	ChromaPremier® 72200S™ Productive Clear
	ChromaPremier® 72500S™ Premium Appearance Clear
	ChromaBase® “4 to 1” G2-7779S™ Panel & Overall Clearcoat
	ChromaClear® G2-4700S™ Ultra-Productive Air Dry Clearcoat
	ChromaClear® G2-4500S™ Ultra-Productive Baking Clearcoat
	ChromaPremier® Pro 74500S™ Productive Clearcoat
Matte Clear	2363S™ Matting Agent (added to NR Clear)

	<b>California Air Resources Board SCM Compliant Options System for Flexible Substrates</b>
Adhesion Promoter	Plas-Stick® 2332S™ Adhesion Promoter
Primer / Sealer	Cromax® LE LE30X0S 2K Sealer
	Cromax® Premier LE LE340XS Urethane Primer Filler plus Plas-Stick® V-2350S™ Flexible Additive
	Cromax® Premier LE LE34X0S Urethane Sealer plus Plas-Stick® V-2350S™ Flexible Additive


<b>Base Coat</b>	<b>Cromax<sup>®</sup> Pro Base Coat</b>
<b>Clear Coat plus Plas-Stick<sup>®</sup> V-2350S<sup>™</sup> Flexible Additive</b>	<b>Cromax<sup>®</sup> LE LE5100S<sup>™</sup> Multi-Panel Clearcoat</b>
	<b>Cromax<sup>®</sup> Premier LE LE8300S<sup>™</sup> Productive Clearcoat</b>
	<b>Cromax<sup>®</sup> Premier LE LE8700S<sup>™</sup> Premium Appearance Clearcoat</b>
<b>Matte Clear</b>	<b>2363S<sup>™</sup> Matting Agent(Added to CARB Clear)</b>

*Please refer to the most current technical data for each product for product mixing, components and use at [www.axaltacs.com](http://www.axaltacs.com).*

# Chrysler Approved Paint Systems NA



	<b>US National Rule Compliant Options System for Rigid Substrates (Steel and Aluminum)</b>
Pretreatment Coating	Standex <sup>®</sup> Etching Adhesion Primer - 16167
	Standex <sup>®</sup> 1K Primer Filler (Light Gray) - 16134/16228
Primer / Sealer	Standex <sup>®</sup> 2K Nonstop Primer Filler-15331/16153/16154
	Standex <sup>®</sup> 2K HS System Filler - 15161/16170
	Standex <sup>®</sup> PF Filler - 16220/16221
	Standex <sup>®</sup> PF Sealer - 16222/16223
Basecoat	Standex <sup>®</sup> Basecoat
	Standoblue <sup>®</sup> Basecoat
Clear Coat	Standocryl <sup>®</sup> 2K HS Clear - 14580
	Standocryl <sup>®</sup> 2K Premium Clear - 16252
	Standocryl <sup>®</sup> 2K Clear 15-60 PLUS - 16198
Matt Clear	Standex <sup>®</sup> 2K Special Matt - 16205 (Added to NR Clear)
	Standex <sup>®</sup> 2K Matting Agent MIX 607 - 16230 (Added to NR Clear)


	<b>California Air Resources Board SCM Compliant Options System for Rigid Substrates (Steel and Aluminum)</b>
Pretreatment Coating	Standex <sup>®</sup> Low VOC Etching Adhesion Primer - 16189
	Standex <sup>®</sup> 1K Primer Filler Light Gray - 16228
Primer / Sealer	Standex <sup>®</sup> PF Filler - 16220/16221
	Standex <sup>®</sup> PF Sealer - 16222/16223
Basecoat	Standoblue <sup>®</sup> Basecoat
Clear Coat	Standocryl <sup>®</sup> Clear PFC 20 - 16211/16217
	Standocryl <sup>®</sup> Clear PFC 30 - 16216
Matt Clear	Standex <sup>®</sup> 2K Matting Agent MIX 607 - 16230 (Added to CARB Clear)

Please refer to the most current technical data for each product for product mixing, components and use at [www.axaltacs.com](http://www.axaltacs.com).

# Chrysler Approved Paint Systems NA




	<b>US National Rule Compliant Options System for Flexible Substrates</b>
<b>Adhesion Promoter</b>	<b>Standoflex<sup>®</sup> Plastic Primer Silver - 12065</b>
	<b>Standox<sup>®</sup> Standoflex<sup>®</sup> 1K Polyolefin Adhesion Promoter - 14408</b>
	<b>Standoflex<sup>®</sup> 2K Plastic Primer Surfacer - 11816</b>
	<b>Standox<sup>®</sup> PF Sealer - 16222/16223 + PF Plastic Adhesion Agent - 16234</b>
<b>Primer / Sealer + Standox<sup>®</sup> 2K Plasticiser - 15260</b>	<b>Standox<sup>®</sup> 2K Nonstop Primer Filler-15331/16153/16154</b>
	<b>Standox<sup>®</sup> 2K HS System Filler - 15161/16170</b>
	<b>Standox<sup>®</sup> PF Filler - 16220/16221</b>
	<b>Standox<sup>®</sup> PF Sealer - 16222/16223</b>
<b>Basecoat</b>	<b>Standox<sup>®</sup> Basecoat</b>
	<b>Standoblue<sup>®</sup> Basecoat</b>
<b>Clear Coat + Standox<sup>®</sup> 2K Plasticiser - 15260</b>	<b>Standocryl<sup>®</sup> 2K HS Clear - 14580</b>
	<b>Standocryl<sup>®</sup> 2K Premium Clear - 16252</b>
	<b>Standocryl<sup>®</sup> 2K Clear 15-60 PLUS - 16198</b>
<b>Matt Clear</b>	<b>Standox<sup>®</sup> 2K Special Matt - 16205 (Added to NR Clear)</b>
	<b>Standox<sup>®</sup> 2K Matting Agent MIX 607 - 16230 (Added to NR Clear)</b>


	<b>California Air Resources Board SCM Compliant Options System for Flexible Substrates</b>
<b>Adhesion Promoter</b>	<b>Standoflex<sup>®</sup> 1K Plastic Adhesion Primer - 16227</b>
	<b>Standox<sup>®</sup> Standoflex<sup>®</sup> 1K Polyolefin Adhesion Promoter - 14408</b>
<b>Primer / Sealer + Standox<sup>®</sup> 2K Plasticiser - 15260</b>	<b>Standox<sup>®</sup> PF Filler - 16220/16221</b>
	<b>Standox<sup>®</sup> PF Sealer - 16222/16223</b>
<b>Basecoat</b>	<b>Standoblue<sup>®</sup> Basecoat</b>
<b>Clear Coat + Standox<sup>®</sup> 2K Plasticiser – 15260</b>	<b>Standocryl<sup>®</sup> Clear PFC 20 - 16211/16217</b>
	<b>Standocryl<sup>®</sup> Clear PFC 30 - 16216</b>
<b>Matt Clear</b>	<b>Standox<sup>®</sup> 2K Matting Agent MIX 607 - 16230 (Added to CARB Clear)</b>

Please refer to the most current technical data for each product for product mixing, components and use at [www.axaltacs.com](http://www.axaltacs.com).

# Chrysler Approved Paint Systems NA



	<b>US National Rule Compliant Options System for Rigid Substrates (Steel and Aluminum)</b>
<b>Pretreatment</b>	<b>Priomat<sup>®</sup> Wash Primer 4075</b>
	<b>Priomat<sup>®</sup> 1K Primer Surfacer 4085 - Dark and Light Gray</b>
<b>Primer/ Sealer</b>	<b>Permasolid<sup>®</sup> HS Vario Surfacer 8590 Gray</b>
	<b>Permasolid<sup>®</sup> HS Premium Surfacer 5310 Dark and Light Gray</b>
	<b>Permasolid<sup>®</sup> Spectro Sealer 5450*</b>
<b>Base Coat</b>	<b>Permacron<sup>®</sup> Base Coat Series 293/295</b>
	<b>Permahyd<sup>®</sup> Hi-TEC Base Coat 480</b>
<b>Clear Coat</b>	<b>Permacron<sup>®</sup> MS Express Clear Coat 8046</b>
	<b>Permasolid<sup>®</sup> HS Optimum Clear Coat 8600</b>
	<b>Permasolid<sup>®</sup> HS Clear Coat 8035</b>
<b>Matte Clear</b>	<b>Permasolid<sup>®</sup> Matte Clear Coat Additive 8092 (Added to NR Clear)</b>

	<b>California Air Resources Board SCM Compliant Options System for Rigid Substrates (Steel and Aluminum)</b>
<b>Pretreatment</b>	<b>Priomat<sup>®</sup> 5.5 Wash Primer 4055 Gray</b>
	<b>Priomat<sup>®</sup> 1K Primer Surfacer 4085 – Dark and Light Gray (Aerosol)</b>
<b>Primer / Sealer</b>	<b>Permasolid<sup>®</sup> 2.1 Surfacer 5157 Dark Gray and White</b>
	<b>Permasolid<sup>®</sup> Spectro Sealer 5450*</b>
<b>Base Coat</b>	<b>Permahyd<sup>®</sup> Hi-TEC Base Coat 480</b>
<b>Clear Coat</b>	<b>Permasolid<sup>®</sup> Low VOC Clear Coat 8096</b>
	<b>Permasolid<sup>®</sup> Low VOC Clear Coat 8098</b>
<b>Matte Clear</b>	<b>Permasolid<sup>®</sup> Matte Clear Coat Additive 8092 (Added to CARB Clear)</b>


\*Black, Blue, Green, Red, White, and Yellow

Please refer to the most current technical data for each product for product mixing, components and use at [www.axaltacs.com](http://www.axaltacs.com).

# Chrysler Approved Paint Systems NA



	<b>US National Rule Compliant Options System for Flexible Substrates</b>
Adhesion Promoter	Priomat <sup>®</sup> Elastic Primer 3304 Transparent
	Priomat <sup>®</sup> 1K Elastic Polyolefin Adhesion Promoter 3304 (Aerosol)
	Permacron <sup>®</sup> 1:1 Elastic Primer Surfacer 3300 Black and Gray
	Permasolid <sup>®</sup> Spectro Sealer 5450* + Permasolid <sup>®</sup> Elastic Adhesion Additive 3303
Primer / Sealer plus Permasolid <sup>®</sup> Elastic Additive 9050	Permasolid <sup>®</sup> HS Vario Surfacer 8590 Gray
	Permasolid <sup>®</sup> HS Premium Surfacer 5310 - Dark and Light Gray
	Permasolid <sup>®</sup> Spectro Sealer 5450*
Base Coat	Permacron <sup>®</sup> Base Coat Series 293/295
	Permahyd <sup>®</sup> Hi-TEC Base Coat 480
Clear Coat plus Permasolid <sup>®</sup> Elastic Additive 9050	Permacron <sup>®</sup> MS Express Clear Coat 8046
	Permasolid <sup>®</sup> HS Optimum Clear Coat 8600
	Permasolid <sup>®</sup> HS Clear Coat 8035
Matte Clear	Permasolid <sup>®</sup> Matte Clear Coat Additive 8092 (Added to NR Clear)


	<b>California Air Resources Board SCM Compliant Options System for Flexible Substrates</b>
Adhesion Promoter	Priomat <sup>®</sup> Elastic Primer 4190
	Permasolid <sup>®</sup> Elastic Adhesion Promoter 3302 Black and White + Permasolid <sup>®</sup> Elastic Adhesion Additive 3303
	Priomat <sup>®</sup> 1K Elastic Polyolefin Adhesion Promoter 3304 (Aerosol)
Primer / Sealer plus Permasolid <sup>®</sup> Elastic Additive 9050	Permasolid <sup>®</sup> 2.1 Surfacer 5157 Dark Gray and White
	Permasolid <sup>®</sup> Spectro Sealer 5450*
Base Coat	Permahyd <sup>®</sup> Hi-TEC Base Coat 480
Clear Coat plus Permasolid <sup>®</sup> Elastic Additive 9050	Permasolid <sup>®</sup> Low VOC Clear Coat 8096
	Permasolid <sup>®</sup> Low VOC Clear Coat 8098
Matte Clear	Permasolid <sup>®</sup> Matte Clear Coat Additive 8092 (Added to CARB Clear)


\*Black, Blue, Green, Red, White, and Yellow

Please refer to the most current technical data for each product for product mixing, components and use at [www.axaltacs.com](http://www.axaltacs.com).

# Chrysler Approved Paint Systems EU / Asia



	<b>Non-Regulated for Rigid Substrates (Steel and Aluminum)</b>
<b>Pretreatment Coating</b>	Etching Primer 635R
	42R/44R/46R 1K QuickPrime
<b>Primer / Sealer</b>	LE 2001/2004/2007 Low Emission Primer Plus
	Cromax <sup>®</sup> Pro Surfacer PS106X
<b>Base Coat</b>	Centari <sup>®</sup> 600 Basecoat
	Centari <sup>®</sup> 6000 Basecoat
	Cromax <sup>®</sup> Pro Base Coat
<b>Clear Coat</b>	G2-4700S Productive Clear
	G2-4500S Productive Clear
	3700S Ultra ProductiveChroma-Clear <sup>®</sup> HS
	3800S Ultra Chroma-Clear <sup>®</sup> HS
	Ultra Productive VOC Clear 3750 <sup>™</sup>
	Cromax Pro <sup>®</sup> Star Clear CC6600 <sup>™</sup>
<b>Matte Clear</b>	


	<b>EU Regulated for Rigid Substrates (Steel and Aluminum)</b>
<b>Pretreatment Coating</b>	Etching Primer 635R
	Cromax <sup>®</sup> V-2940S LF DTM Epoxy DTM Primer
<b>Primer / Sealer</b>	Cromax <sup>®</sup> Premier LE LE340XS Urethane Primer Filler
	Cromax <sup>®</sup> Premier LE LE34X0S Urethane Primer Sealer
<b>Base Coat</b>	Cromax <sup>®</sup> Pro Base Coat
<b>Clear Coat</b>	3700S Ultra ProductiveChroma-Clear <sup>®</sup> HS
	3800S Ultra Chroma-Clear <sup>®</sup> HS
	Ultra Productive VOC Clear 3750 <sup>™</sup>
	Cromax Pro <sup>®</sup> Star Clear CC6600 <sup>™</sup>
<b>Matte Clear</b>	


Please refer to the most current technical data for each product for product mixing, components and use at [www.axaltacs.com](http://www.axaltacs.com).



# Chrysler Approved Paint Systems EU / Asia




	<b>Non-Regulated for Flexible Substrates</b>
<b>Adhesion Promoter</b>	800R Plastic Adhesion Promoter
<b>Primer / Sealer plus 805R Flexible Additive</b>	LE 200X Low Emission Primer
	Cromax® Pro Surfacer PS106X
<b>Base Coat</b>	Centari® 600 Basecoat
	Centari® 6000 Basecoat
	Cromax® Pro Base Coat
<b>Clear Coat plus V-2350™ Flexible Additive</b>	G2-4700S Productive Clear
	G2-4500S Productive Clear
	3700S Ultra ProductiveChroma-Clear® HS
	3800S Ultra Chroma-Clear® HS
	Ultra Productive VOC Clear 3750™
	Cromax Pro® Star Clear CC6600™
<b>Matte Clear</b>	


	<b>EU Regulated for Flexible Substrates</b>
<b>Adhesion Promoter</b>	800R Plastic Adhesion Promoter
<b>Primer / Sealer plus 805R Flexible Additive</b>	LE 200X Low Emission Primer
	Cromax® Pro Surfacer PS106X
<b>Base Coat</b>	Centari® 600 Basecoat
	Centari® 6000 Basecoat
	Cromax® Pro Base Coat
<b>Clear Coat plus 805R Flexible Additive</b>	3700S Ultra ProductiveChroma-Clear® HS
	3800S Ultra Chroma-Clear® HS
	Ultra Productive VOC Clear 3750™
	Cromax Pro® Star Clear CC6600™
<b>Matte Clear</b>	

Please refer to the most current technical data for each product for product mixing, components and use at [www.axaltacs.com](http://www.axaltacs.com).

# Chrysler Approved Paint Systems EU / Asia




	<b>Non-Regulated for Rigid Substrates (Steel and Aluminum)</b>
<b>Pretreatment Coating</b>	Standex <sup>®</sup> Etching Adhesion Primer
	Standex <sup>®</sup> 1K Primer Filler
<b>Primer / Sealer</b>	Standex <sup>®</sup> 2K Nonstop Primer Filler
	Standex <sup>®</sup> 2K HS System Filler
	Standex <sup>®</sup> VOC Xtra Filler
<b>Basecoat</b>	Standex <sup>®</sup> Basecoat
	Standohyd <sup>®</sup> Basecoat
	Standoblue <sup>®</sup> Basecoat
<b>Clear Coat</b>	Standocryl <sup>®</sup> 2K VOC High Pro Clear
	Standocryl <sup>®</sup> VOC Premium Clearcoat
	Standocryl <sup>®</sup> VOC Express Clear
	Standocryl <sup>®</sup> VOC Xtra Clear
<b>Matt Clear</b>	Standex <sup>®</sup> 2K Special Matt Added to Standocryl <sup>®</sup> VOC Platinum Clear


	<b>EU Regulated for Rigid Substrates (Steel and Aluminum)</b>
<b>Pretreatment Coating</b>	Standex <sup>®</sup> Etching Adhesion Primer
	Standex <sup>®</sup> 1K Primer Filler
<b>Primer / Sealer</b>	Standex <sup>®</sup> 2K Nonstop Primer Filler
	Standex <sup>®</sup> 2K HS System Filler
	Standex <sup>®</sup> VOC Xtra Filler
<b>Basecoat</b>	Standohyd <sup>®</sup> Basecoat
	Standoblue <sup>®</sup> Basecoat
<b>Clearcoat</b>	Standocryl <sup>®</sup> 2K VOC High Pro Clear
	Standocryl <sup>®</sup> VOC Premium Clearcoat
	Standocryl <sup>®</sup> VOC Express Clear
	Standocryl <sup>®</sup> VOC Xtra Clear
<b>Matt Clear</b>	Standex <sup>®</sup> 2K Special Matt Added to Standocryl <sup>®</sup> VOC Platinum Clear



# Chrysler Approved Paint Systems EU / Asia



	<b>Non-Regulated for Flexible Substrates</b>
<b>Adhesion Promoter</b>	Standex <sup>®</sup> Plastic Primer
<b>Primer / Sealer plus Elastic Additive</b>	Standex <sup>®</sup> VOC System Filler
	Standex <sup>®</sup> VOC Xtra Filler
<b>Basecoat</b>	Standex <sup>®</sup> Basecoat
	Standohyd <sup>®</sup> Basecoat
	Standoblue <sup>®</sup> Basecoat
<b>Clear Coat plus Elastic Additive</b>	Standocryl <sup>®</sup> 2K VOC High Pro Clearcoat
	Standocryl <sup>®</sup> VOC Premium Clearcoat
	Standocryl <sup>®</sup> VOC Express Clear
	Standocryl <sup>®</sup> VOC Xtra Clear
<b>Matt Clear</b>	Standex <sup>®</sup> 2K Special Matt Added to Standocryl <sup>®</sup> VOC Platinum Clear

	<b>EU Regulated for Flexible Substrates</b>
<b>Adhesion Promoter</b>	Standex <sup>®</sup> Plastic Primer
<b>Primer / Sealer plus Elastic Additive</b>	Standex <sup>®</sup> VOC System Filler
	Standex <sup>®</sup> VOC Xtra Filler
<b>Basecoat</b>	Standohyd <sup>®</sup> Basecoat
	Standoblue <sup>®</sup> Basecoat
<b>Clear Coat plus Elastic Additive</b>	Standocryl <sup>®</sup> 2K VOC High Pro Clearcoat
	Standocryl <sup>®</sup> VOC Premium Clearcoat
	Standocryl <sup>®</sup> VOC Express Clear
	Standocryl <sup>®</sup> VOC Xtra Clear
<b>Matt Clear</b>	Standex <sup>®</sup> 2K Special Matt Added to Standocryl <sup>®</sup> VOC Platinum Clear


Please refer to the most current technical data for each product for product mixing, components and use at [www.axaltacs.com](http://www.axaltacs.com).

# Chrysler Approved Paint Systems



EU

	Non-Regulated for Rigid Substrates (Steel and Aluminum)
Pretreatment	Priomat <sup>®</sup> Wash Primer 4075
	Priomat <sup>®</sup> 1K Primer Surfacer 4085 - Dark and Light Gray
Primer/ Sealer	Permasolid <sup>®</sup> Vario Surfacer 8590 Gray
	Permasolid <sup>®</sup> HS Premium Surfacer 5310 Dark and Light Gray
	Permasolid <sup>®</sup> HS Performance Surfacer 5320
Base Coat	Permacron <sup>®</sup> Base Coat Series 293/295
	Permahyd <sup>®</sup> Base Coat Series 280/285
	Permahyd <sup>®</sup> Hi-TEC Base Coat
Clear Coat	Permasolid <sup>®</sup> HS Optimum Plus Clear Coat 8650
	Permasolid <sup>®</sup> HS Clear Coat 8055
	Permasolid <sup>®</sup> Fast Dry Clear Coat 8017
	Permasolid <sup>®</sup> HS Optimum Clear Coat 8600
	Permasolid <sup>®</sup> HS Clear Coat 8035
Matte Clear	Permasolid <sup>®</sup> Matting Component MA 110 (Added to Permasolid <sup>®</sup> HS Clear Coat 8030)


	EU Regulated for Rigid Substrates (Steel and Aluminum)
Pretreatment	Priomat <sup>®</sup> Wash Primer 4075
	Priomat <sup>®</sup> 1K Primer Surfacer 4085 – Dark and Light Gray
Primer / Sealer	Permasolid <sup>®</sup> Vario Surfacer 8590 Gray
	Permasolid <sup>®</sup> HS Premium Surfacer 5310
	Permasolid <sup>®</sup> HS Performance Surfacer 5320
Base Coat	Permahyd <sup>®</sup> Base Coat Series 280/285
	Permahyd <sup>®</sup> Hi-TEC Base Coat
Clear Coat	Permasolid <sup>®</sup> HS Optimum Plus Clear Coat 8650
	Permasolid <sup>®</sup> HS Clear Coat 8055
	Permasolid <sup>®</sup> HS Optimum Clear Coat 8600
	Permasolid <sup>®</sup> HS Clear Coat 8035
Matte Clear	Permasolid <sup>®</sup> Matting Component MA 110 (Added to Permasolid <sup>®</sup> HS Clear Coat 8030)


Please refer to the most current technical data for each product for product mixing, components and use at [www.axaltacs.com](http://www.axaltacs.com).

# Chrysler Approved Paint Systems



EU

	<b>Non-Regulated for Flexible Substrates</b>
<b>Adhesion Promoter</b>	Priomat <sup>®</sup> Elastic Primer 3304 Transparent
<b>Primer/ Sealer + Permasolid<sup>®</sup> Elastic Additive 9050</b>	Permasolid <sup>®</sup> Vario Surfacer 8590 Gray
	Permasolid <sup>®</sup> HS Premium Surfacer 5310 Dark and Light Gray
	Permasolid <sup>®</sup> HS Performance Surfacer 5320
<b>Base Coat</b>	Permacron <sup>®</sup> Base Coat Series 293/295
	Permahyd <sup>®</sup> Base Coat Series 280/285
	Permahyd <sup>®</sup> Hi-TEC Base Coat
<b>Clear Coat + Permasolid<sup>®</sup> Elastic Additive 9050</b>	Permasolid <sup>®</sup> HS Optimum Plus Clear Coat 8650
	Permasolid <sup>®</sup> HS Clear Coat 8055
	Permasolid <sup>®</sup> Fast Dry Clear Coat 8017
	Permasolid <sup>®</sup> HS Optimum Clear Coat 8600
	Permasolid <sup>®</sup> HS Clear Coat 8035
<b>Matte Clear</b>	Permasolid <sup>®</sup> Matting Component MA 110 (Added to Permasolid <sup>®</sup> HS Clear Coat 8030)

	<b>EU Regulated for Flexible Substrates</b>
<b>Adhesion Promoter</b>	Priomat <sup>®</sup> Elastic Primer 3304 Transparent
<b>Primer / Sealer + Permasolid<sup>®</sup> Elastic Additive 9050</b>	Permasolid <sup>®</sup> Vario Surfacer 8590 Gray
	Permasolid <sup>®</sup> HS Premium Surfacer 5310 Dark and Light Gray
	Permasolid <sup>®</sup> HS Performance Surfacer 5320
<b>Base Coat</b>	Permahyd <sup>®</sup> Base Coat Series 280/285
	Permahyd <sup>®</sup> Hi-TEC Base Coat
<b>Clear Coat + Permasolid<sup>®</sup> Elastic Additive 9050</b>	Permasolid <sup>®</sup> HS Optimum Plus Clear Coat 8650
	Permasolid <sup>®</sup> HS Clear Coat 8055
	Permasolid <sup>®</sup> HS Optimum Clear Coat 8600
	Permasolid <sup>®</sup> HS Clear Coat 8035
<b>Matte Clear</b>	Permasolid <sup>®</sup> Matting Component MA 110 (Added to Permasolid <sup>®</sup> HS Clear Coat 8030)

*Please refer to the most current technical data for each product for product mixing, components and use at [www.axaltacs.com](http://www.axaltacs.com).*

Dan Black  
 Fiat Chrysler Automobiles  
 Technical Assistance & Product Support  
 Engineering Lead- Body/Chassis/ Paint