MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Product Identifier	NAP-GARD [®] 7-	1854 GOLD FAS	ST CURE REPAIR BASE
Product Code	851-212		
Product Use	Exterior coating	for pipelines.	
Manufacturer's Name	SPECIALTY P	OLYMER COAT	TINGS, INC.
Street Address	#101 - 20529 - 6	52nd Avenue	City/Province/State: Langley, BC
Postal/Zip Code	V3A 8R4		
Country	CANADA		
24 hour Emergency Telephon	ne Number	CANUTEC: 613	3-996-6666
INFORMATION NUMBER		604-514-9711	
Supplier's Name	DUPONT POW	DER COATING	S U.S.A. INC.
Street Address	9800 Genard Roa	ad	City/Province/State: Houston, TX
Postal/Zip Code	77041		
Country	USA		
24 hour Emergency Telephon	ne Number	CHEMTREC: 1	-800-424-9300
INFORMATION NUMBER		713-939-4000	
MSDS Preparation Date	March 20, 2003		
MSDS Revision Date	January 22, 201	3	
MSDS Prepared by	provided by sup		y Polymer Coatings, Inc. with information erials used in the manufacture of e Repair Base.
Telephone Number	604-514-9711		

Hazardous Ingredients	%	CAS #	Lethal Dose 50%	Lethal Conc. 50%
			Species & route	Species
Epoxy Resin	30-60	28064-14-4	>2000 mg/kg Rat Oral	N/AV
Nepheline Syenite	1-15	37244-96-5	N/AV	N/AV
Potassium Alumino Silicate	1-10	12001-26-2	N/AV	N/AV
Barium Sulfate	10-15	7727-43-7	>5000 mg/kg Rat Oral	N/AV
Glycidyl Neocanate	1-5	26761-45-5	9600 mg/kg Rat Oral	N/AV
Modified Diglycidyl Ether	1-5	68909-14-8	N/AV	N/AV
Siloxanes and Silicones Reaction Products with Silica	1-5	67762-90-7	N/AV	N/AV
Neopentyl Glycol Diglycidyl Ether	1-5	17557-23-2	2150 mg/kg Rabbit Skin >2000 mg/kg Rat Oral	N/AV

SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

SECTION 3 – HAZARDS IDENTIFICATION

Route of Entry	Skin, eyes, inhalation, ingestion.
Skin Contact	May cause skin burns. May cause allergic skin reactions.
Skin Absorption	Can be absorbed through the skin.
Eye Contact	Causes eye irritation.
Inhalation	May cause nose and throat irritation. May cause lung injury and / or burns.
Ingestion	Harmful if swallowed.

SECTION 4 – FIRST AID MEASURES

Specific Measures:

Inhalation	Remove to fresh air. If breathing has stopped, a trained person should perform artificial respiration. Get Medical attention.
Ingestion	Get Medical attention IMMEDIATELY.
Eye Contact	Flush with water for at least 15 minutes, hold eyelids apart to ensure complete irrigation of all eye and lid tissue, and get Medical attention.
Skin Contact	Wash with water and mild soap for at least 15 minutes. Remove contaminated clothing and wash before re-use. Get Medical attention.

CAUTION---NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

SECTION 5 – FIRE FIGHTING MEASURES

Flammable: Not flammable as per WHMIS.		
Flammable: If Yes, under which conditions?	Excessive heat, sparks and open flame. Surrounding fire.	
Means of Extinction Water spray, dry	chemical, foam and Carbon Dioxide.	
1 C	d wear the usual protective gear. ed Breathing Apparatus.	
Flash Point and Method >100°C (212°F) S	SETA.	
Upper Flammable Limit (% by volume)	N/AV	
Lower Flammable Limit (% by volume)	N/AV	
Autoignition Temperature	N/AV	
Explosion Data - Sensitivity to Impact	N/AP	
Explosion Data - Sensitivity to Static Discharge N/AP		
Hazardous Combustion Products Oxides of	f Carbon (CO, CO2), Oxides of Nitrogen, Aldehydes, acids.	

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures	Remove all sources of ignition (flames, sparks, etc.). Wear appropriate
	safety equipment. Provide adequate ventilation. Soak up spills with inert
	absorbent materials and place in closed containers. Prevent run-off from
	reaching storm or sewer drains.

SECTION 7 – HANDLING AND STORAGE

Handling Procedures and Equipment	All equipment must be grounded. Avoid inhalation, skin and eye
	contact. Wear appropriate Personal Protective Equipment as
	listed in Section 8. Maintain good personal hygiene and wash
	thoroughly after using, particularly before eating or going on
	breaks.

Storage Requirements Store in a cool, dry, well-ventilated area away from incompatible materials and all sources of ignition. Keep in a tightly sealed container when not in use.

SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Limits:

Hazardous Ingredients	CAS #	ACGIH TLV (TWA)
Epoxy Resin	28064-14-4	N/AV
Nepheline Syenite	37244-96-5	5 mg/M3
Potassium Alumino Silicate	12001-26-2	10 mg/M3 Total Dust
Barium Sulphate	7727-43-7	10 mg/M3 Total
		5 mg/M3 Respirable
Glycidyl Neocanate	26761-45-5	N/AV
Modified Diglycidyl Ether	68909-14-8	N/AV
Siloxanes and Silicones	67762-90-7	10 mg/M3
Reaction Products with Silica		
Neopentyl Glycol Diglycidyl Ether	17557-23-2	N/AV

Engineering Controls: Provide general dilution or local exhaust in volume and pattern to keep TLV of Hazardous Ingredients in Section 2 below acceptable limits. Extra ventilation should be provided in enclosed spaces.

Personal Protective Equipment:

- Gloves: Chemical resistant gloves with a long cuff that will overlap the clothing sleeves should be worn when handling this product. The glove / clothing overlaps should be sealed by tape. Check with the glove manufacturer to determine the proper glove type.
- Respirator: Wear an appropriate, properly fitted vapour respirator (NIOSH / OSHA approved) during application where vapour / mist are likely to be encountered, e.g. confined spaces and during winter construction or when the substrate is preheated. For outdoor application and areas with adequate ventilation, the use of a respirator is normally not required. Follow the respirator manufacturer's recommendations. Wear a dust respirator for any activity such as sanding or grinding of cured coating.
- Eyes: Wear splash proof chemical safety goggles and / or face shield.

Footwear: Wear impervious boots.

- Clothing: Long-sleeved clothing is to be worn over regular clothing to cover all exposed areas of arms, legs or torso during mixing and application of the coating. Breathable clothing, such as cotton or disposable coveralls, is recommended.
- Other: Emergency eyewash and a shower should be in close proximity, where possible. A barrier cream may be used in conjunction with personal protective equipment as an additional safeguard against skin contact.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid.
Odour and Appearance	Mild odour. Gold viscous liquid.
Odour Threshold (ppm)	N/AV
Specific Gravity (water=1)	1.55
Vapour Density (air=1)	N/AV
Vapour Pressure (mm/Hg)	N/AV
Evaporation Rate (butyl acetate=1)	N/AV
Boiling Point	N/AV
Freezing Point	N/AV
pH	N/AV
Coefficient of Water/oil Distribution	N/AV
Solubility in Water [20°C (68°F)]	Insoluble.

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability	Yes. Product is stable in non-emergency conditions.
Incompatibility with other substances	Yes. Oxidizing agents, acids, bases, amines.
Reactivity and under what conditions	Elevated temperatures.
Hazardous Decomposition Products	Oxides of Carbon, Oxides of Nitrogen, Aldehydes, and acids.

Skin, eyes, inhalation, ingestion. Route of Entry..... Effects of Acute Exposure: Skin Contact..... May cause skin burns. May cause allergic skin reactions. Can be absorbed through the skin. Skin Absorption Eye Contact Causes eye irritation. Inhalation..... May cause nose and throat irritation. May cause lung injury and / or burns. Ingestion..... Harmful if swallowed. Effects of Chronic Exposure May cause lung damage, skin sensitization, dermatitis, and respiratory sensitization. Refer to Effects of Acute Exposure. Irritancy of Product Skin Sensitization..... Refer to Effects of Acute Exposure. Refer to Inhalation. Respiratory Sensitization N/AV Carcinogenicity Reproductive Toxicity..... N/AV Teratogenicity N/AV Embryotoxicity..... N/AV Mutagenicity N/AV Name of Synergistic Products/Effects ... N/AV

SECTION 11 – TOXICOLOGICAL INFORMATION

SECTION 12 – ECOLOGICAL INFORMATION

No Data is available.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal... Dispose of according to Federal, Provincial, and Municipal regulations in Canada and Federal, State, and County regulations in the United States of America.

SECTION 14 – TRANSPORT INFORMATION

Special Shipping Information	ation:	NOT REGULATED.
PIN:	N/AP	
Proper Shipping Name:	N/AP	
Class:	N/AP	
PG:	N/AP	
Mode:	Ground (T	DG) or Air (ICAO) or Ocean (IMDG)

SECTION 15 – REGULATORY INFORMATION

WHMIS	D2B.
CEPA	All of the ingredients of this product are listed on the DSL.
TSCA	All of the ingredients of this product are on the TSCA Inventory.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.

SECTION 16 – OTHER INFORMATION

NOTE: While Specialty Polymer Coatings, Inc. believes that the data contained herein are accurate and derived from qualified sources, the data are not to be taken as a warranty or representation for which Specialty Polymer Coatings, Inc. assumes legal responsibility. The data is offered solely for your consideration, investigation and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, Provincial / State, and Municipal / County laws and regulations.

ABBREVIATIONS USED IN PREPARING THIS MSDS

% - Percent	# - Number	< - Less Than	> - Greater Than	@ - At	
ACGIH		American Conference o	f Governmental Industrial Hyg	rienists	
			Emergency Centre of the Dep		
		Celsius			
CAS #		CAS Registry Number			
		Ceiling Limit			
CEPA		Canadian Environmental Protection Act, 1999			
CPR		Controlled Products Regulations			
	DOT		Department of Transportation (U.S.)		
DSL		Domestic Substances List			
Derm-LD50		Dermal Lethal Dose - 50% Death			
		Fahrenheit	o to Doutin		
		Flash Point			
		Grams/kilogram			
		Hazardous Materials Id	entification System		
		International Agency fo			
		International Air Transp			
		International Civil Avia			
		International Maritime			
		Inhalation Lethal Conce			
		Kilogram	intation - 50% Death		
0		Pounds per Gallon			
		Lower Explosive Limit			
		Lethal Concentration (5	0% Death)		
		Lethal Dosage (50% De			
		Millilitres/kilogram	aui)		
-		Milligrams per Litre			
U		Milligrams per Cubic N	etre		
•		Millimetres of Mercury	lette		
		Not Applicable			
		Not Available			
		Not Determined			
	RATING		- Moderate, 1 - Slight, 0 - Nor	ne X – Blank	
			cupational Safety & Health	ie, ir Diulik	
		National Toxicology Pr			
		Oral Lethal Dose-50%	-		
		Occupational Safety and			
		Permissible Exposure L			
		Product Identification N			
		Packing Group			
		Pensky-Martens Closed	Cun		
		Parts per million	Cup		
1		Superfund Amendment	& Reauthorization Act (1986))	
		Setaflash Closed Cup T	ester	/	
		Short-Term Exposure L			
			erous Goods Act and Pursuant	Regulations	
		Threshold Limit Value	coold ret and r arbuant		
		Time Weighted Averag			
		Toxic Substances Contr			
			Aterials Information System		
		in omprace mazardous i			

End of Material Safety Data Sheet.

SPC / MSDS_Nap-Gard_7-1854_Gold_FCR_Base.docx