



*Quality Products for
Automotive and Fleet
Vehicles*



AN AXALTA COATING SYSTEMS BRAND

Montana Big Sky™ Automotive and Fleet Coating Systems

The Montana Big Sky range offers an extensive selection of coatings that provide quality and performance at a competitive value. Our line offers protection, durability, sandability and color holdout to provide a quality finish. Key product categories include undercoats, color, clearcoats, solvents and specialty items to meet a wide variety of refinishing needs. Montana Big Sky enjoys a long history of repeat business due to uncompromising quality and proven product longevity and performance. We stand behind our products with a Paint Warranty ensuring our customer's trust and confidence in our products.



COLOR

BASECOAT



System 50 Acrylic Basecoat

Mix Ratio: 1:1

Components:
TH07160, TH07175, TH07185
or TH07195
Basecoat Reducer

The Big Sky Intermix System is a multi-faceted paint mixing system that offers the versatility to produce a variety of paint coatings. Whether it's basecoat, high solids polyurethane, acrylic urethane, acrylic enamel, and synthetic enamel, we make the color system for your every job.

System 50 is a 6.4 VOC Basecoat designed to provide excellent coverage, fast dry times, and great metallic control. It is easy to mix offering the versatility of good adhesion to a wide range of primers and other substrates while providing good hiding in two coat coverage. This polyester and acrylic blended basecoat features excellent application essentials with no wrinkling.

Features and Benefits:

- Excellent Coverage
- Fast Dry Times
- Great Metallic Control
- Easy Repair-ability
- No Wrinkling

ENAMEL



System 10 Acrylic Enamel

Mix Ratio: 8:1:2

Components:
MP1050 Wet Look Catalyst*
TH4800, TH4900 or TH4700
Acrylic Enamel Reducer

System 10 5.0 VOC Acrylic Enamel Single-Stage is a cost effective, fast covering, highly durable, single stage system that is easy to apply. This smooth, durable enamel features a high gloss finish, and offers good chemical resistance when activated with our MP1050 Wet Look catalyst. System 10 is targeted for the industrial and automotive refinish markets and is compliant in national rule areas. When you are looking for a tough, durable finish that offers great performance characteristics, choose Montana Big Sky System 10 Acrylic Enamel paint.

Features and Benefits:

- Cost Effective
- Baking Option
- Fast Drying
- Durable and Easy to Use
- Excellent Chemical Resistance

*Must use MP1050 Wet Look Catalyst for warranty coverage.



System 12 Acrylic Enamel

Mix Ratio: 8:1:3

Components:
MP1050 Wet Look Catalyst*
TH4800, TH4900 or TH4700
Acrylic Enamel Reducer

System 12 is a 5.0 VOC Acrylic Enamel Single-Stage that is fast drying, offers a tough, durable finish and is designed for overall refinishing applications. This product offers excellent chemical resistance and corrosion protection that resists chipping, cracking and fading making it great for over-the-road applications. This system targeted for the commercial fleet, truck and industrial refinish markets and is compliant in national rule areas. Activating with our MP1050 Wet Look Catalyst increases durability and when used as directed is backed by our Montana Big Sky Paint Warranty.

Features and Benefits:

- Tough and Durable
- Baking Option
- Easy to Use
- Excellent Chemical Resistance
- Fast Dust Free
- High Gloss Finish

*Must use MP1050 Wet Look Catalyst for warranty coverage.



System 18 Acrylic Enamel

Mix Ratio: 8:1:3

Components:
MP1050 Wet Look Catalyst*
TH035, TH036, TH037
Zero VOC Urethane Reducer

System 18 is a high solid, 3.5 VOC Acrylic Enamel Single-Stage that offers good durability and is easy to use. It provides a quality finish with good gloss and resistance to weathering. This acrylic enamel system features fast dry times and good coverage - an excellent choice when a quality economical finish is required.

Features and Benefits:

- 3.5 VOC
- High Solids
- Fast Dry Times
- Good Coverage and Gloss
- Durable

*Must use MP1050 Wet Look Catalyst for warranty coverage.



System 20 Synthetic Enamel

Mix Ratio: 8:1:2

Components:
MP2000
Synthetic Enamel Catalyst*
TH5800, TH5900 or TH5700
Synthetic Enamel Reducer

System 20 Synthetic Enamel Single-Stage is an easy-to-use, quality and economical paint coating that provides good gloss. Great for full panel and overall repairs. This paint doesn't require a catalyst, but for added durability, or baking/force drying, it is recommended to use the MP2000 Synthetic Enamel Catalyst along with this product. This synthetic enamel system offers fast dry times and good coverage - an excellent choice when a quality economical finish is needed.

Features and Benefits:

- Easy to Use
- Economical
- Good Gloss
- Excellent Coverage

*Must use MP2000 Synthetic Enamel Catalyst for warranty coverage.

URETHANE



System 21 Acrylic Urethane

Mix Ratio: 4:1:1

Components:
CRV21AF, CRV21AM or
CRV21AS Activator
TH035, TH036, TH037
Zero VOC Urethane Reducer

System 21™ is a user friendly 3.5 VOC single stage acrylic urethane that gives you a rich high gloss finish with excellent durability and chemical resistance. System 21™ is fast drying and user friendly - a popular choice among automotive refinishers.

Features and Benefits:

- 3.5 VOC
- High Solids
- Fast Dry Times
- Good Coverage and Gloss
- Durable



System 22

Acrylic Urethane

Mix Ratio: 4:1:1

Components:

CR22AF, CR22AM, CR22AS
or CR22AES
2K Glamour Clearcoat Hardener

TH0860, TH0870, TH0885
or TH0895
Urethane Grade Reducer

System 22 is a 5.0 VOC Acrylic Urethane Single-Stage that provides a rich, high gloss finish with excellent durability and chemical resistance. This acrylic urethane color is fast drying, flexible, and user friendly. The versatility of the product combines the technology of the acrylics cost efficiency and the tough durability of a urethane—a combination making it a popular choice among automotive refinishers.

Features and Benefits:

- Rich, High Gloss Finish
- Excellent Durability
- Excellent Chemical Resistance
- Fast Drying

POLYURETHANE



System 28

Polyurethane

Mix Ratio: 3:1

Components:

PO28AN
2K 2.8 VOC
Polyurethane Hardener

Opt Blending: ½ part
TH035, TH036 or TH037
Zero VOC Urethane Reducer

System 28 is a 2.8 VOC Compliant High-Solids, Polyurethane Single-Stage - the ultimate choice for durability and excellent chemical resistance in VOC regulated areas. It provides a deep glamorous finish offering a superior high gloss, excellent flow-out and leveling, optimal UV protection, and is flexible and impact resistant. The high-solids feature of this system saves on labor offering complete coverage with fewer coats.

Features and Benefits:

- Low 2.8 VOC
- Deep, Glamorous Finish
- Excellent Chemical Resistance
- Optimal UV Protection
- Durable



System 35

Polyurethane

Mix Ratio: 3:1

Components:

PO35AN or PO35AS
2K 3.5 VOC
Polyurethane Hardener

Opt Blending: ½ part
TH035, TH036 or TH037
Zero VOC Urethane Reducer

System 35 is a 3.5 VOC Compliant High-Solids, Polyurethane Single-Stage - the ultimate choice for durability and excellent chemical resistance. With a deep high gloss finish, the system provides excellent flow, leveling, flexibility and good color holdout. This system offers high performance characteristics, good impact resistance, coverage in few coats, enhanced UV protection and withstands Skydrol. This system is targeted for automotive and fleet refinishing, aviation, and OEM manufacturing while meeting a 3.5 lbs. per gallon VOC.

Features and Benefits:

- Excellent Chemical Resistance
- High Gloss
- Deep Finish

CLEARCOAT

Montana Big Sky offers a variety of clearcoats from spot and panel clears to those designed for fast overall repairs. These clears offer application properties that feature excellent flow and leveling, rich gloss and DOI, UV protection, great buff-ability characteristics, durability and chemical resistance. Montana clearcoats offer the products, performance and value needed to meet every shop's repair necessities.

OVERALL



CRV21™

2K 2.1 VOC

Urethane

Crystal Clear™ Clearcoat

Mix Ratio: 4:1

Components:

CRV21AF™, CRV21AM™
or CRV21AS™
2K 2.1 VOC Crystal Clear™
Hardener

CRV21 Crystal Clear is a medium solids clearcoat that provides excellent flow and leveling, rich gloss, good durability and chemical resistance. Specifically designed for panel and overall refinishing, this clear ensures a proper film build after only two full coats and has great day buffability.

Features and Benefits:

- Excellent Flow and Leveling
- Easy Application
- 2.1 VOC
- Rich Gloss

Part #	Description	UPC	Case Quantity
CRV21-G	2K 2.1 VOC Urethane Crystal Clear Clearcoat	842027102059	4
CRV21-Q	2K 2.1 VOC Urethane Crystal Clear Clearcoat	842027102066	12



CRV22™

2K Urethane

Glamour Clearcoat

Mix Ratio: 4:1

Components:

CR22AF, CR22AM, CR22AS
or CR22AES
2K Glamour Clearcoat Hardener

Opt Blending: 10%
TH035, TH036 or TH037
Zero VOC Urethane Reducer

CRV22 is a 4.2 VOC medium solid universal clearcoat, provides excellent flow, leveling, rich gloss, good durability, and chemical resistance. CRV22 2K Urethane Glamour Clearcoat offers excellent UV protection and has great next day buffability. Note: This clear also integrates with the System 22 Color System.

Features and Benefits:

- Excellent Flow and Leveling
- Rich Gloss
- Chemical Resistant
- Excellent UV Protection
- Easy Application

Part #	Description	UPC	Case Quantity
CRV22-G	2K Urethane Glamour Clearcoat	842027102073	4



EZ317™

2K EZ Clear™

Urethane Clearcoat

Mix Ratio: 4:1

Components:

EZ317AN, EZ317AS,
or EZ317AES
2K EZ Clearcoat Hardener

EZ Clear 2K Urethane Clearcoat is designed to produce a high-gloss durable finish with excellent UV protection. This clearcoat can be used over basecoats (except lacquers) catalyzed acrylic enamels, and urethane enamels. EZ Clear offers you a quality economical solution to go head to head with the competition.

Features and Benefits:

- Quality Economical Solution
- High Gloss
- Durable Finish
- UV Protection
- Excellent Long-Term Buff Characteristics
- Easy to Use

Part #	Description	UPC	Case Quantity
EZ317-G	EZ Clear Urethane Clearcoat	842027102110	4



PE2400™
2K Acrylic Urethane Clearcoat

Mix Ratio: 4:1

Components:
MP2465, MP2475, or MP2485
2K Acrylic Urethane Clearcoat Hardener

Opt Blending: 10%
TH035, TH036 or TH037
Zero VOC Urethane Reducer

PE2400 4.4 VOC 2K Acrylic Urethane Clearcoat was designed to add value to shop profitability by offering easy application and polishing while providing an excellent UV resistance. This clearcoat meets National Rule requirements.

Features and Benefits:

- High Quality, Economical Solution
- Durable Finish
- High Gloss
- Maximum UV Protection

Part #	Description	UPC	Case Quantity
PE2400-G	2K Acrylic Urethane Clearcoat	1250092158	4



PE4000™
2K C.A.C.™ Clearcoat

Mix Ratio: 4:1

Components:
MP4065, MP4075 or MP4085
2K C.A.C. Clearcoat Hardener

Opt Blending: 10%
TH035, TH036 or TH037
Zero VOC Urethane Reducer

This medium solid, two-component acrylic urethane clear offers a durable OEM gloss and DOI, great flow and leveling characteristics while providing good chemical resistance. PE4000 has excellent UV protection and has very good next day buffability. This acrylic urethane clearcoat, works well for all general purpose refinish needs.

Features and Benefits:

- Good Flow and Leveling
- Very Good Next Day Buffability
- Provides OEM Gloss & DOI
- Excellent UV Protection
- Good Chemical Resistance
- Easy to use

Part #	Description	UPC	Case Quantity
PE4000-G	2K C.A.C.™ Clearcoat	1250092159	4

HIGHER SOLIDS BAKING CLEARCOAT



PE2442™
2K Intense™
Fast Reaction Clearcoat

Mix Ratio: 4:1:1

Components:
MP2444 or MP2445
2K Intense Hardener

TH0860, TH0870, TH0885
or TH0895
Urethane Grade Reducer

PE2442 Intense Fast Reaction Clearcoat, is a 4.2 VOC fast curing, high solids, universal acrylic urethane clearcoat designed for maximum speed, fast build (2 coat maximum), and extreme productivity. PE2442 can be used as a baking or air-dry clear, and dries to an intense, high-gloss with excellent UV protection and weathering.

Features and Benefits:

- Excellent Baking
- High Gloss and DOI
- Increased Vehicle Throughput
- Fast Build and Curing

Part #	Description	UPC	Case Quantity
PE2442-G	2K Intense™ Fast Reaction Clearcoat	842027102745	4

EUROPEAN TECHNOLOGY



PE2100™
2K EuroSpeed™
Acrylic Urethane Clearcoat

Mix Ratio: 2:1

Components:
MP2165, MP2175, MP2185
or MP2195
2K EuroSpeed Hardener

Opt Blending: 10%
TH035, TH036 or TH037
Zero VOC Urethane Reducer

PE2100 EuroSpeed Acrylic Urethane Clearcoat provides a deep rich gloss with premium durability. Based off European technology, PE2100 offers the versatility needed for spot, multi-panel and overall refinishing, while providing quick delivery and ease of use.

Features and Benefits:

- Deep Rich Gloss
- Easy 2:1 Mix Ratio
- Premium Durability
- European Appearance - American Speed & Productivity
- European Resin Technology

Part #	Description	UPC	Case Quantity
PE2100-5L	2K EuroSpeed™ Acrylic Urethane Clearcoat	842027102738	4



PE2200™
2K Clear Shot™ Clearcoat

Mix Ratio: 2:1

Components:
MP2265, MP2275 or MP2285
2K Clear Shot Hardener

Opt Blending: 10%
TH035, TH036 or TH037
Zero VOC Urethane Reducer

PE2200 Clear Shot Acrylic Urethane Clearcoat provides a deep rich gloss with premium durability. Using quality urethane technology, Clear Shot offers the versatility needed for spot, multi-panel and overall refinishing, while providing quick delivery and ease of use.

Features and Benefits:

- Rich Gloss
- Quick Delivery
- Premium Durability
- Versatile from Spot and Panel, Multi-Panel to Overall
- Easy to Use

Part #	Description	UPC	Case Quantity
PE2200-G	2K Clear Shot™ Clearcoat	842027104916	4



PE2300™

2K 2.1 VOC
Acrylic Urethane
Clearcoat

Mix Ratio: 2:1

Components:

MP2365, MP2375, MP2385
or MP2395
2K 2.1 VOC Acrylic
Urethane Clearcoat Hardener

Opt Blending: 10%

TH035, TH036 or TH037
Zero VOC Urethane Reducer

PE2300 Clearcoat provides a deep rich gloss with premium durability. This quality urethane clearcoat offers the versatility needed for panel, multi-panel and overall refinishing while providing quick delivery and ease of use. PE2300 is a 2.1 VOC-compliant clearcoat.

Features and Benefits:

- Deep Rich Gloss
- Premium Durability
- Quick Delivery
- Ease of Use

Part #	Description	UPC	Case Quantity
PE2300-5L	2K 2.1 VOC Acrylic Urethane Clearcoat	842027104923	4



PE2600™

2K Acrylic Urethane
Clearcoat

Mix Ratio: 2:1

Components:

MP2665, MP2675 or MP2685
2K Acrylic Urethane Clearcoat
Hardener

Opt Blending: 10%

TH035, TH036 or TH037
Zero VOC Urethane Reducer

PE2600 2K Acrylic Urethane Clearcoat provides a deep rich gloss with premium durability. Using quality urethane technology, this clearcoat offers the versatility needed for spot, multi-panel and overall refinishing, while providing quick delivery and ease of use.

Features and Benefits:

- Rich Gloss
- Ease of Use
- Premium Durability
- Spot, Multi-Panel and Overall Refinishing

Part #	Description	UPC	Case Quantity
PE2600-5L	2K Acrylic Urethane Clearcoat	842027104947	4

SPOT & PANEL REPAIR



PE1500™

2K 2.1 VOC
Speed Clearcoat

Mix Ratio: 4:1

Components:

MP1575 or MP1585
2K Speed Clearcoat Hardener

Opt Blending: 10%

TH035, TH036 or TH037
Zero VOC Urethane Reducer

PE1500 2K 2.1 VOC Speed Clearcoat was designed for small 1-2 panel application over properly applied basecoat color. This two-component clearcoat has fast setting dust free times, delivers outstanding gloss retention with low overspray. Targeted for high production collision centers offering the speed for faster turnaround and increased productivity by maximizing vehicle throughput. PE1500 may be polished as soon as ¼ - 1 hour and does not require baking. Its 2.1 VOC makes it ideal for low VOC regulated areas as well as national rule.

Features and Benefits:

- No-Flash Application Increases Productivity
- 45-60 Minute Polish Boosts Vehicle Throughput
- Dust Free in 10-15 Minutes
- Excellent Gloss and DOI
- 2.1 VOC

Part #	Description	UPC	Case Quantity
PE1500-G	2K 2.1 VOC Speed Clearcoat	842027102691	4
PE1500-Q	2K 2.1 VOC Speed Clearcoat	842027102707	12



PE1900™

2K Lightspeed™ Clearcoat

Mix Ratio: 4:1

Components:

MP1965, MP1975, MP1985
or MP1995
2K Lightspeed Clearcoat
Hardener

Opt Blending: 10%

TH035, TH036 or TH037
Zero VOC Urethane Reducer

PE1900 2K Lightspeed Clearcoat was designed for spot and panel application over properly applied basecoat color. This two-component clearcoat has fast setting dust free times and delivers outstanding gloss and hold out with low overspray. PE1900 increases productivity by maximizing vehicle throughput and may be polished as soon as two hours.

Features and Benefits:

- Low Overspray
- Excellent Gloss and DOI
- Increases Productivity
- Maximizes Vehicle Throughput
- May be Polished in as Little as 2 Hours

Part #	Description	UPC	Case Quantity
PE1900-G	2K Lightspeed™ Clearcoat	842027102714	4
PE1900-Q	2K Lightspeed™ Clearcoat	842027102721	12

SOLVENT

URETHANE REDUCER

Montana Big Sky offers a complete range of solvents available for use with each color system, clearcoat and undercoat. The product line includes basecoat reducer and stabilizer, urethane, acrylic enamel, synthetic enamel and zero VOC reducers. Designed to provide optimum flow, blending, and leveling adding a high degree of gloss and overall performance to any paint job. Great for national rule and low VOC regulated areas.



TH035™

TH036™

TH037™

Zero VOC
Urethane Reducer

These Zero VOC Urethane Reducers are designed to give optimum flow, blending and leveling while maintaining required VOC compliance. It meets both United States and Canadian guidelines. Use only at recommended levels that are defined on product specific technical data sheets.

Part #	Description	UPC	Case Quantity
TH035-5	Fast Zero VOC Urethane Reducer	842027103247	
TH035-G	Fast Zero VOC Urethane Reducer	842027103254	4
TH035-Q	Fast Zero VOC Urethane Reducer	842027103261	12
TH036-5	Medium Zero VOC Urethane Reducer	842027103278	
TH036-G	Medium Zero VOC Urethane Reducer	842027103285	4
TH036-Q	Medium Zero VOC Urethane Reducer	842027103292	12
TH037-5	Slow Zero VOC Urethane Reducer	842027103308	
TH037-G	Slow Zero VOC Urethane Reducer	842027103315	4
TH037-Q	Slow Zero VOC Urethane Reducer	842027103322	12



TH0860™
TH0870™
TH0885™
TH0895™
 Urethane Grade Reducer

Urethane Grade Reducers provide optimum flow, blending, and leveling. These reducers are formulated using only quality virgin grade solvents to ensure the highest degree of gloss and overall performance for your paint job.

Part #	Description	UPC	Case Quantity
TH0860-5	Fast Urethane Grade Reducer	842027103483	
TH0860-G	Fast Urethane Grade Reducer	842027103490	4
TH0860-Q	Fast Urethane Grade Reducer	842027103506	12
TH0870-5	Medium Urethane Grade Reducer	842027103513	
TH0870-G	Medium Urethane Grade Reducer	842027103520	4
TH0870-Q	Medium Urethane Grade Reducer	842027103537	12
TH0885-5	Slow Urethane Grade Reducer	842027103544	
TH0885-G	Slow Urethane Grade Reducer	842027103551	4
TH0885-Q	Slow Urethane Grade Reducer	842027103568	12
TH0895-G	Hot Temp Urethane Grade Reducer	842027103575	4

BASECOAT STABILIZER



TH0600™
TH0605™
TH0610™
 Basecoat Stabilizer

TH0600, TH0605 and TH0610 Basecoat Stabilizer have been designed to provide optimum flow and leveling. This premium reducer is formulated of virgin material and is considered a replacement solvent.

Part #	Description	UPC	Case Quantity
TH0600-G	Fast Basecoat Stabilizer	842027103346	4
TH0605-G	Medium Basecoat Stabilizer	842027103360	4
TH0610-G	Slow Basecoat Stabilizer	842027103377	4

BASECOAT REDUCER



TH07160™
TH07175™
TH07185™
TH07195™
 Basecoat Reducer

TH07160, TH07175, TH07185 and TH07195 Basecoat Reducers were formulated to be used in Montana Big Sky Basecoat. These were designed to give optimum flow and leveling using only qualified virgin grade solvents while providing the highest degree of performance for your paint job. This product may be used as a replacement solvent.

Part #	Description	UPC	Case Quantity
TH07160-5	Fast Basecoat Reducer	842027103384	
TH07160-G	Fast Basecoat Reducer	842027103391	4
TH07160-Q	Fast Basecoat Reducer	842027103407	12
TH07175-5	Medium Basecoat Reducer	842027103414	
TH07175-G	Medium Basecoat Reducer	842027103421	4
TH07175-Q	Medium Basecoat Reducer	842027103438	12
TH07185-5	Slow Basecoat Reducer	842027103445	
TH07185-G	Slow Basecoat Reducer	842027103452	4
TH07185-Q	Slow Basecoat Reducer	842027103469	12
TH07195-G	XSlow Basecoat Reducer	842027103476	4



THU40™
THU50™
THU60™
 Basecoat Reducer

THU40, THU50 and THU60 Basecoat Reducers were designed to provide optimum flow and leveling using only qualified virgin grade solvents while providing the highest degree of performance for your paint job. This product may be used as a replacement solvent.

Part #	Description	UPC	Case Quantity
THU40-G	Fast Basecoat Reducer	842027103773	4
THU50-G	Medium Basecoat Reducer	842027103797	4
THU60-G	Slow Basecoat Reducer	842027103810	4

ACRYLIC ENAMEL REDUCER



TH4700™
TH4800™
TH4900™
 Acrylic Enamel Reducer

TH4700, TH4800 and TH4900 Acrylic Enamel Reducers are made from a premium blend of high quality virgin grade materials and is formulated to produce excellent results. This reducer provides optimum flow and blending.

Part #	Description	UPC	Case Quantity
TH4700-55	Slow Acrylic Enamel Reducer	842027103599	
TH4700-5	Slow Acrylic Enamel Reducer	842027103582	
TH4700-G	Slow Acrylic Enamel Reducer	842027103605	4
TH4800-55	Fast Acrylic Enamel Reducer	842027103612	
TH4800-5	Fast Acrylic Enamel Reducer	842027103629	
TH4800-G	Fast Acrylic Enamel Reducer	842027103636	4
TH4900-5	Medium Acrylic Enamel Reducer	842027103643	
TH4900-G	Medium Acrylic Enamel Reducer	842027103650	4

SYNTHETIC ENAMEL REDUCER



TH5700™
TH5800™
TH5900™
 Synthetic Enamel Reducer

TH5700, TH5800 and TH5900 Synthetic Enamel Reducers are made from a premium blend of high quality virgin grade materials. This reducer produces excellent results at an economical price.

Part #	Description	UPC	Case Quantity
TH5700-G	Slow Synthetic Enamel Reducer	842027103667	4
TH5800-5	Fast Synthetic Enamel Reducer	842027103674	
TH5800-G	Fast Synthetic Enamel Reducer	842027103681	4
TH5900-5	Medium Synthetic Enamel Reducer	842027103698	
TH5900-G	Medium Synthetic Enamel Reducer	842027103704	4

UNDERCOAT

PRETREATMENT



PS3008™
 2K Viper Grip II™ Metal Etch Primer Green

Mix Ratio: 1:1

Components:
 PC3000M or PC3000S
 2K Metal Etch Activator

Montana Big Sky undercoat range offers a wide variety of primer options from metal etch, epoxy, urethane primers, high build surfacers, to sealers. Our undercoats are an excellent choice for all aspects of transit where priming is needed. They offer durability, protection, and corrosion resistance, with ease of use, while providing excellent color holdout and adhesion for topcoat applications. Montana Big Sky undercoats offer product performance at a competitive value – creating a smooth foundation that you can build upon.

Viper Grip II is a non-induction, chromate-free, pretreatment metal etch that provides a fast-drying barrier coat that etches bare metal substrates preparing them for additional topcoats. PS3008 maximizes the adhesion properties to properly prepared steel, aluminum, and galvanized metal. This product offers excellent corrosion protection properties.

Features and Benefits:

- Fast Drying
- Good Corrosion Protection
- Maximizes Adhesion
- Chromate Free
- Non-Induction
- Easy to Use

Part #	Description	UPC	Case Quantity
PS3008-G	2K Viper Grip II™ Metal Etch Primer Green	842027102790	4
PS3008-Q	2K Viper Grip II™ Metal Etch Primer Green	842027102806	12

SEALER



PS3051™
PS3053™
PS3055™
 2K Performa-Seal™ Urethane Sealer

Mix Ratio: 4:1:1

Components:
 PA3050F or PA3050M
 2K Performa-Seal Hardener

TH0860, TH0870, TH0885
 or TH0895
 Urethane Grade Reducer

Performa-Seal is a non-sanding acrylic urethane sealer that applies smoothly and maintains superior color and gloss retention for high quality finishes. Performa-Seal allows for increased inter-coat adhesion while providing a uniform ground coat over repairs. All 3 shades of sealer may be intermixed to provide the painter with a variety of undercoat shades.

Features and Benefits:

- Three Mixable Colors
- Maximum Hiding
- Optimum Adhesion
- Excellent Color Holdout
- Excellent Corrosion Protection
- Smooth Flow and Leveling

Part #	Description	UPC	Case Quantity
PS3051-G	2K Performa-Seal™ Urethane Sealer White	842027102882	4
PS3053-G	2K Performa-Seal™ Urethane Sealer Gray	842027102899	4
PS3055-G	2K Performa-Seal™ Urethane Sealer Black	842027102905	4

SURFACER/SEALER



PS3042™
PS3044™
PS3045™
PS3047™
 2K Epoxy Primer

Mix Ratio:
 1:1 Medium Build Primer
 1:1¼ Sealer

Components:
 PA3040E
 2K Epoxy Activator

TH0860, TH0870, TH0885
 or TH0895
 Urethane Grade Reducer

To maintain 3.5 Low VOC use:
 PA3040V
 2K Epoxy Activator Low VOC

TH035, TH036 or TH037
 Zero VOC Urethane Reducer

Epoxy Prime™ two-component, chromate-free epoxy is designed for use as medium fill primer that provides optimum adhesion with excellent corrosion protection for bare substrates. Epoxy Prime may also be applied as a sealer to ensure greater inter-coat adhesion, chemical resistance, and color holdout. Features a full epoxy resin that utilizes a non-induction catalyst, used to increase productivity for automotive and fleet refinishing. If required, we offer a 3.5 VOC catalyst, used for fleet and light industrial applications.

Features and Benefits:

- Excellent Corrosion and Chemical Resistance
- Good Color Holdout
- Chromate-Free
- Optimum Adhesion Properties
- Standard and Low 3.5 VOC Option

Part #	Description	UPC	Case Quantity
PS3042-G	2K Epoxy Primer Light Gray	842027102820	4
PS3042-Q	2K Epoxy Primer Light Gray	842027102837	12
PS3044-G	2K Epoxy Primer Dark Gray	842027102844	4
PS3044-Q	2K Epoxy Primer Dark Gray	842027102851	12
PS3045-G	2K Epoxy Primer Black	842027102868	4
PS3045-Q	2K Epoxy Primer Black	842027102875	12
PS3047-G	2K Epoxy Primer Yellow	842027104978	4



PS5008A™
PS5009A™
 2K Urethane Primer

Mix Ratio:
 4:1 Primer
 4:1:2 Sealer

Components Primer:
 PS5008B
 2K Urethane Primer Hardener

Opt Blending: ¾ part
 TH0860, TH0870, TH0885
 or TH0895
 Urethane Grade Reducer

Components Sealer:
 PS5008B 2K Urethane
 Primer Hardener
 TH035, TH036 or TH037
 Zero VOC Urethane Reducer

A two-component, premium quality urethane that offer the versatility of use as a primer or sealer with proper reduction. PS5008A and PS5009A offer high film build, good metal adhesion, quick and easy sanding, while maintaining superior gloss and DOI. This primer meets National Rule requirements.

Features and Benefits:

- High Film Build
- Quick and Easy Sanding
- Excellent Color Holdout
- Strong Inter-Coat Adhesion
- Minimal Shrinkage

Part #	Description	UPC	Case Quantity
PS5008A-G	2K Urethane Primer Beige	842027103049	4
PS5008A-Q	2K Urethane Primer Beige	842027103056	12
PS5009A-G	2K Urethane Primer Gray	842027103087	4
PS5009A-Q	2K Urethane Primer Gray	842027103094	12



PS5011™
PS5012A™
PS5015™
 2K 2.1 VOC
 Urethane Primer

Mix Ratio:
 4:1 Primer
 4:1:1 Sealer

Components Primer/Sealer:
 PS5012B
 2K 2.1 VOC Primer Hardener

TH035, TH036 or TH037
 Zero VOC Urethane Reducer

This primer is designed to provide high film build, fast easy sanding and excellent color holdout. PS5011, PS5012A and PS5015 may be blended to optimize hiding. This primer is chromate free and offers the versatility of being used as a primer-surfacer or sealer when reduced as directed. Meets the strictest VOC Regulations.

Features and Benefits:

- Optimum Adhesion
- Excellent Corrosion Protection
- Superior Color Holdout
- Easy to Sand
- Use as a Primer or Sealer
- Achieves Various Shades of Gray

Part #	Description	UPC	Case Quantity
PS5011-G	2K 2.1 VOC Urethane Primer White	842027103100	4
PS5012A-G	2K 2.1 VOC Urethane Primer Gray	842027103117	4
PS5012A-Q	2K 2.1 VOC Urethane Primer Gray	842027103124	12
PS5015-G	2K 2.1 VOC Urethane Primer Black	842027104961	4

SURFACER



EZ543™
 Acrylic Primer
 Surfacer Gray

Mix Ratio: 1:1-1 ¼

Components:
 TH035, TH036 or TH037
 Zero VOC Urethane Reducer

EZ543 Acrylic Primer Surfacer offers high build, fast dry times and easy sanding to a fine featheredge. EZ543 has good color holdout, minimal shrinkage, and powerful adhesion to properly prepared substrates.

Features and Benefits:

- Fast Drying
- Easy Sanding
- Good Color Holdout
- Minimal Shrinkage
- Good Adhesion

Part #	Description	UPC	Case Quantity
EZ543-G	Acrylic Primer Surfacer Gray	842027102127	4
EZ543-Q	Acrylic Primer Surfacer Gray	842027102134	12



EZ601A™
EZ603A™
 2K High Build
 Urethane Primer Gray

Mix Ratio: 4:1:1

Components:
 EZ600B
 2K Urethane Primer Hardener

TH0860, TH0870, TH0885
 or TH0895
 Urethane Grade Reducer

EZ-Build EZ601A Gray and EZ603A Black are two-component, high build urethane primer-surfacers offering good fill characteristics while providing fast dry times, easy sanding, without loading up the sandpaper. EZ-Build maintains excellent color hold out and gloss retention.

Features and Benefits:

- Fast Drying
- Easy Sanding
- Good Color Holdout
- Minimal Shrinkage
- Great Adhesion
- High build

Part #	Description	UPC	Case Quantity
EZ601A-G	2K High Build Urethane Primer Gray	842027102165	4
EZ603A-G	2K High Build Urethane Primer Black	842027102172	4



PS3201™
PS3203™
PS3205™
 2K DTM Primer Surfacer

Mix Ratio:
 4:1:1 Normal Build Surfacer
 4:1:½ High Build Surfacer

Components:
 PA3200M or PA3200S
 2K DTM Activator

TH0860, TH0870, TH0885
 or TH0895
 Urethane Grade Reducer

DTM Primer Surfacer is a non-isocyanate, chromate-free, direct to metal primer that provides optimum adhesion with excellent corrosion protection on bare metal and OEM substrates. This primer is designed for use as a medium or high build primer-surfacer that easily sands by hand or machine, while offering superior color holdout and gloss retention for fast, quality finishes.

Features and Benefits:

- Great Adhesion
- Superior Corrosion Protection
- Good Color Holdout
- Achieves Various Shades of Gray
- Excellent Fill properties

Part #	Description	UPC	Case Quantity
PS3201-G	2K DTM Primer Surfacer White	842027102912	4
PS3201-Q	2K DTM Primer Surfacer White	842027102929	12
PS3203-G	2K DTM Primer Surfacer Gray	842027102936	4
PS3203-Q	2K DTM Primer Surfacer Gray	842027102943	12
PS3205-G	2K DTM Primer Surfacer Black	842027102950	4
PS3205-Q	2K DTM Primer Surfacer Black	842027102967	12



PS3401™
PS3403™
PS3405™
 2K 2.1 VOC DTM
 Primer Surfacer

Mix Ratio:
 4:1:1 Normal Build Surfacer
 4:1:½ High Build Surfacer

Components:
 PA3400M or PA3400S
 2K 2.1 VOC DTM Activator
 TH035™, TH036™ or TH037™
 Zero VOC Urethane Reducer

A non-isocyanate, chromate-free, direct to metal primer that provides optimum adhesion with excellent corrosion protection on bare metal and OEM substrates. This primer is designed for use as a medium or high build primer-surfacer that easily sands by hand or machine, while offering superior color holdout and gloss retention for fast, high quality finishes. This product meets the most stringent VOC requirement of 2.1 lbs./gallon.

Features and Benefits:

- Optimum Adhesion
- Excellent Corrosion Protection
- Superior Color Holdout
- Easy to Sand
- May be Blended to Achieve Various Shades of Gray

Part #	Description	UPC	Case Quantity
PS3401-G	2K 2.1 VOC DTM Primer Surfacer White	842027102981	4
PS3401-Q	2K 2.1 VOC DTM Primer Surfacer White	842027102998	12
PS3403-G	2K 2.1 VOC DTM Primer Surfacer Gray	842027103001	4
PS3403-Q	2K 2.1 VOC DTM Primer Surfacer Gray	842027103018	12
PS3405-G	2K 2.1 VOC DTM Primer Surfacer Black	842027103025	4
PS3405-Q	2K 2.1 VOC DTM Primer Surfacer Black	842027103032	12

ACCESSORY
SOLVENT CLEANER

Our line offers a great selection of automotive accessories including specialty solvent, cleaner, catalyst, additive, replacement binder and balancer, adhesion promoter and frame paint at a value. We are here to help you choose the best option for your needs!



TH5950™
 Strong Wax &
 Grease Remover

A strong, medium-drying surface cleaner designed specifically for removing tar, wax, oil, grease, road grime, silicone, and surface contaminants prior to sanding or bodywork.

Features and Benefits:

- Optimum Performance
- Fast Drying
- Easy to Use
- Use for Pre-Clean

Part #	Description	UPC	Case Quantity
TH5950-5	Strong Wax & Grease Remover	842027103711	
TH5950-G	Strong Wax & Grease Remover	842027103728	4



TH5951™
 Mild Wax &
 Grease Remover

A milder and slower to evaporate than the TH5950 and is designed specifically for use after priming and sanding.

Features and Benefits:

- Optimum Performance
- Milder
- Safe Cleaning on New Finishes
- Easy to Use

Part #	Description	UPC	Case Quantity
TH5951-5	Mild Wax & Grease Remover	842027103735	
TH5951-G	Mild Wax & Grease Remover	842027103742	4



TH5952™
 Fast Final Wash

TH5952 is an extremely fast evaporating surface cleaner that safely and quickly removes oils, waxes, and silicones prior to applying topcoats. This cleaner is perfect for use around moldings and minor clean-up prior to priming or painting.

Features and Benefits:

- Optimum Performance
- Extremely Fast Drying
- Great for Minor Pre-Clean Tasks
- Easy to Use

Part #	Description	UPC	Case Quantity
TH5952-5	Fast Final Wash	842027103339	
TH5952-G	Fast Final Wash	842027103759	4

SURFACE CLEANER



TH5953™
 Zero VOC
 Surface Cleaner

TH5953 is a ready to use, 0.00 lbs/gal VOC waterborne surface cleaner. This surface cleaner is medium-drying and designed to remove tar, wax, oil, grease, road grime, silicone, and other surface contaminants. Ideal for use prior to sanding, performing bodywork or as a pre-cleaner before applying topcoats. TH5953 may be used on bare metal without concern for immediate flash rusting and plastic to minimize static build-up.

Features and Benefits:

- Zero VOC
- Optimum Performance
- Fast Drying
- Ideal Strength for Both Pre-Clean and Pre-Topcoat Cleaning
- Easy to Use

Part #	Description	UPC	Case Quantity
TH5953-G	Zero VOC Surface Cleaner	842027104732	4

REPLACEMENT BALANCER & BINDER



BDRD01™
 Basecoat Balancer

BDRD01 Basecoat Balancer is formulated to be a suitable, direct replacement product offered at an economical value compared to a premium product.

Features and Benefits:

- Direct Replacements
- Quality Components
- No Reformulating
- Dependable Repeat Performance
- Economical Value

Part #	Description	UPC	Case Quantity
BDRD01-G	Basecoat Balancer	842027101830	4



BDRD02™ Basecoat Binder

BDRD02 Basecoat Binder is formulated to be a suitable, direct replacement product offered at an economical value compared to a premium product.

Features and Benefits:

- Direct Replacements
- Quality Components
- No Reformulating
- Dependable Repeat Performance
- Economical Value

Part #	Description	UPC	Case Quantity
BDRD02-G	Basecoat Binder	842027101847	4

ADHESION PROMOTER



AP200™ Plastic Adhesion Promoter

AP200 is designed to aid with the adhesion of primer or topcoats over difficult bare plastics (PP) Polypropylene, TPO and others. DO NOT use on polycarbonate (Lexan™).

Features and Benefits:

- Ready to Spray
- Easy to Apply
- Fast Drying
- Excellent Adhesion Aid Properties

Part #	Description	UPC	Case Quantity
AP200-Q	Plastic Adhesion Promoter	842027101670	12



MP1222™ Adhesion Promoter

MP1222 is designed to promote adhesion of basecoat color to properly sanded OEM baked enamel finishes when doing spot and panel paint repair jobs.

Features and Benefits:

- Very Fast Drying
- Good Adhesion to TPO Plastics
- Increased Adhesion to Other Plastics

Part #	Description	UPC	Case Quantity
MP1222-Q	Adhesion Promoter	842027102202	12

SPECIALTY CATALYST



MP1050™ Wet Look Catalyst

MP1050 Wet Look Catalyst is specially formulated as a quality product at an economical price. It causes chemical changes to acrylic enamel, producing a harder, more durable high-gloss finish.

Features and Benefits:

- Harder, More Durable Finish
- Use in Acrylic Enamel Color Systems
- High-gloss Finish (wet-look)
- Increased Flexibility
- Economical, Yet High Quality
- Excellent Chemical Resistance Quality

Part #	Description	UPC	Case Quantity
MP1050-P	Wet Look Catalyst	842027102196	12



MP2000™ Synthetic Enamel Catalyst

MP2000 is a catalyst for all straight synthetic enamels. It speeds drying time while producing a higher gloss, more corrosive-resistant, and harder enamel finish.

Features and Benefits:

- Improves Cure Time While Producing a Higher Gloss
- Increases Chemical Resistance
- Provides Harder Enamel Finish
- Economical Yet High Quality

Part #	Description	UPC	Case Quantity
MP2000-P	Synthetic Enamel Catalyst	842027102325	12

SPECIALTY ADDITIVE



CR22ACC™ Super Accelerator

CR22ACC Super Accelerator is designed to provide faster cure and dust free times of two component urethane coatings in colder weather.

Features and Benefits:

- Faster Cure and Dust-free Times
- Faster Tape Time
- Reduced Two-tone Time
- Reduced Time to Buffing
- Universal Two Component Acrylic Urethane Use

Part #	Description	UPC	Case Quantity
CR22ACC-P	Super Accelerator	842027101854	12

SPECIALTY ADDITIVE



CR22FEE™ Fisheye Eliminator

CR22FEE Fisheye Eliminator helps to reduce fisheye problems caused by improper cleaning.

Features and Benefits:

- Reduces Fisheye Problems
- Universal in all Montana Big Sky Two-Part Paints

Part #	Description	UPC	Case Quantity
CR22FEE-P	Fisheye Eliminator	842027101908	12



PE35ACC™
Accelerator

PE35ACC Accelerator is designed to produce faster cure and dust-free times of two component urethane coatings in colder weather. This product extends the pot life of high solids coatings.

Features and Benefits:

- Faster Cure and Dust-Free Times
- Fast Tape Time
- Reduced Two-tone Time
- Reduced Time to Buffing
- Extended Pot Life in High Solid Coatings

Part #	Description	UPC	Case Quantity
PE35ACC-P	Accelerator	842027102752	12



SP40™
Universal Matting Base

SP40 Universal Matting Base is a specially formulated product designed ONLY for the Montana Big Sky range of products as a post-addition additive. To achieve the desired level of gloss reduction, refer to the proper usage levels stated in the SP40 Technical Data Sheet.

Features and Benefits:

- Easy to use
- Provides various gloss levels

Part #	Description	UPC	Case Quantity
SP40-Q	Universal Matting Base	842027103223	12



AP300™
Blue Shield™
Liquid Spray Mask

AP300 Blue Shield Liquid Spray Mask is designed to replace plastic sheeting or car covers and provides start to finish protection. This water based ready-to-spray liquid mask is fast and easy to apply and dries to a tack-free film that can be taped and re-taped during border masking with paper. AP300 can be baked multiple times at temperatures up to 170°F / 76°C. One even coat protects any part of the vehicle including grills, wheel wells, engine compartments, and vinyl tops.

Features and Benefits:

- Easy to Apply
- Single Coat
- Water Based
- Dries to Tack-Free Film
- Easy Clean-Up

Part #	Description	UPC	Case Quantity
AP300-5	Blue Shield™ Liquid Spray Mask	842027101687	



FE40™
Chassis Black Frame Paint
Mix Ratio: 8:1:2

FE40 Chassis Black is an economical protective coating for chassis, engine compartments, and miscellaneous parts refinishing. It has excellent adhesion and impact resistance. This chassis black coating is resistant to fuels when thoroughly cured using MP2000 Synthetic Enamel Catalyst.

Components:
MP2000
Synthetic Enamel Catalyst

Features and Benefits:

- Economical Protective Coating
- Excellent Adhesion
- Excellent Impact Resistance

TH5700, TH5800 or TH5900
Synthetic Enamel Reducer

Part #	Description	UPC	Case Quantity
FE40-G	Chassis Black Frame Paint	842027102189	4



TH01000™
Edge Blender

TH01000 Edge Blender is a ready-to-spray blending agent for Montana branded clears. This product is perfect to melt-in the blend edge when a full panel refinish cannot be performed.

Features and Benefits:

- Ready to Spray
- Apply 1-2 Coats
- Melts in the Blend Edge

Part #	Description	UPC	Case Quantity
TH01000-G	Edge Blender	842027103230	4

HARDENER

USE WITH CRV21™

Our range of hardeners have been specifically designed to suit all shop conditions and shop requirements in combination with their companion Montana Big Sky undercoats and clearcoats. The range features the following hardener speeds: Fast, Medium, Slow and Extra Slow for all possible applications from spot to panel to overall.

Part #	Description	UPC	Case Quantity
CRV21AF-Q	2K 2.1 VOC Crystal Clear Hardener Fast	842027102004	12
CRV21AF-8	2K 2.1 VOC Crystal Clear Hardener Fast	842027101946	12
CRV21AM-Q	2K 2.1 VOC Crystal Clear Hardener Medium	842027102028	12
CRV21AM-8	2K 2.1 VOC Crystal Clear Hardener Medium	842027102011	12
CRV21AS-Q	2K 2.1 VOC Crystal Clear Hardener Slow	842027102042	12
CRV21AS-8	2K 2.1 VOC Crystal Clear Hardener Slow	842027102035	12





USE WITH CRV22™

Part #	Description	UPC	Case Quantity
CR22AF-Q	2K Glamour Clearcoat Hardener Fast	842027101878	12
CR22AM-Q	2K Glamour Clearcoat Hardener Medium	842027101885	12
CR22AS-Q	2K Glamour Clearcoat Hardener Slow	842027101892	12
CR22AES-Q	2K Glamour Clearcoat Hardener XSlow	842027101861	12



USE WITH EZ317™

Part #	Description	UPC	Case Quantity
EZ317AN-Q	2K EZ Clearcoat Hardener Normal	842027102097	12
EZ317AS-Q	2K EZ Clearcoat Hardener Slow	842027102103	12
EZ317AES-Q	2K EZ Clearcoat Hardener XSlow	842027102080	12



USE WITH PE1500™

Part #	Description	UPC	Case Quantity
MP1575-Q	2K Speed Clearcoat Hardener Medium	842027102226	12
MP1575-8	2K Speed Clearcoat Hardener Medium	842027102219	12
MP1585-Q	2K Speed Clearcoat Hardener Slow	842027102240	12
MP1585-8	2K Speed Clearcoat Hardener Slow	842027102233	12



USE WITH PE1900™

Part #	Description	UPC	Case Quantity
MP1965-Q	2K Lightspeed™ Clearcoat Hardener Fast	842027102264	12
MP1965-8	2K Lightspeed™ Clearcoat Hardener Fast	842027102257	12
MP1975-Q	2K Lightspeed™ Clearcoat Hardener Medium	842027102288	12
MP1975-8	2K Lightspeed™ Clearcoat Hardener Medium	842027102271	12
MP1985-Q	2K Lightspeed™ Clearcoat Hardener Slow	842027102301	12
MP1985-8	2K Lightspeed™ Clearcoat Hardener Slow	842027102295	12
MP1995-Q	2K Lightspeed™ Clearcoat Hardener XSlow	842027102318	12



USE WITH PE2100™

Part #	Description	UPC	Case Quantity
MP2165-2.5L	2K EuroSpeed™ Hardener Fast	842027102332	4
MP2175-2.5L	2K EuroSpeed™ Hardener Medium	842027102349	4
MP2185-2.5L	2K EuroSpeed™ Hardener Slow	842027102356	4
MP2195-2.5L	2K EuroSpeed™ Hardener XSlow	842027102363	4



USE WITH PE2200™

Part #	Description	UPC	Case Quantity
MP2265-Q	2K Clear Shot™ Hardener Fast	842027104763	12
MP2275-Q	2K Clear Shot™ Hardener Medium	842027104770	12
MP2285-Q	2K Clear Shot™ Hardener Slow	842027104787	12



USE WITH PE2300™

Part #	Description	UPC	Case Quantity
MP2365-2.5L	2K 2.1 VOC Acrylic Urethane Clearcoat Hardener Fast	842027104794	4
MP2375-2.5L	2K 2.1 VOC Acrylic Urethane Clearcoat Hardener Medium	842027104800	4
MP2385-2.5L	2K 2.1 VOC Acrylic Urethane Clearcoat Hardener Slow	842027104817	4
MP2395-2.5L	2K 2.1 VOC Acrylic Urethane Clearcoat Hardener XSlow	842027106323	4



USE WITH PE2442™

Part #	Description	UPC	Case Quantity
MP2444-Q	2K Intense™ Hardener Medium	842027102370	12
MP2445-Q	2K Intense™ Hardener Slow	842027102387	12



USE WITH PE2400™

Part #	Description	UPC	Case Quantity
MP2465-Q	2K Acrylic Urethane Clearcoat Hardener Fast	842027104824	12
MP2475-Q	2K Acrylic Urethane Clearcoat Hardener Medium	842027104831	12
MP2485-Q	2K Acrylic Urethane Clearcoat Hardener Slow	842027104848	12



USE WITH PE2600™

Part #	Description	UPC	Case Quantity
MP2665-2.5L	2K Acrylic Urethane Clearcoat Hardener Fast	842027104855	4
MP2675-2.5L	2K Acrylic Urethane Clearcoat Hardener Medium	842027104862	4
MP2685-2.5L	2K Acrylic Urethane Clearcoat Hardener Slow	842027104879	4



USE WITH PE4000™

Part #	Description	UPC	Case Quantity
MP4065-Q	2K C.A.C.™ Clearcoat Hardener Fast	842027104886	12
MP4075-Q	2K C.A.C.™ Clearcoat Hardener Medium	842027104893	12
MP4085-Q	2K C.A.C.™ Clearcoat Hardener Slow	842027104909	12



USE WITH EZ601A™ /EZ603A™

Part #	Description	UPC	Case Quantity
EZ600B-Q	2K Urethane Primer Hardener	842027102158	12



USE WITH PS3008™

Part #	Description	UPC	Case Quantity
PC3000M-G	2K Metal Etch Activator Medium	842027102653	4
PC3000M-Q	2K Metal Etch Activator Medium	842027102660	12
PC3000S-G	2K Metal Etch Activator Slow	842027102677	4
PC3000S-Q	2K Metal Etch Activator Slow	842027102684	12



USE WITH PS3042™/PS3044™/PS3045™/PS3047™

Part #	Description	UPC	Case Quantity
PA3040E-G	2K Epoxy Activator	842027102516	4
PA3040E-Q	2K Epoxy Activator	842027102523	12
PA3040V-G	2K Epoxy Activator Low VOC	842027102530	4
PA3040V-Q	2K Epoxy Activator Low VOC	842027102547	12



USE WITH PS3051™/PS3053™/PS3055™

Part #	Description	UPC	Case Quantity
PA3050F-Q	2K Performa-Seal™ Hardener Fast	842027102554	12
PA3050M-Q	2K Performa-Seal™ Hardener Medium	842027102561	12



USE WITH PS3201™/PS3203™/PS3205™

Part #	Description	UPC	Case Quantity
PA3200M-Q	2K DTM Activator Medium	842027102585	12
PA3200M-8	2K DTM Activator Medium	842027102578	12
PA3200S-Q	2K DTM Activator Slow	842027102608	12
PA3200S-8	2K DTM Activator Slow	842027102592	12



USE WITH PS3401™/PS3403™/PS3405™

Part #	Description	UPC	Case Quantity
PA3400M-Q	2K 2.1 VOC DTM Activator Medium	842027102622	12
PA3400M-8	2K 2.1 VOC DTM Activator Medium	842027102615	12
PA3400S-Q	2K 2.1 VOC DTM Activator Slow	842027102646	12
PA3400S-8	2K 2.1 VOC DTM Activator Slow	842027102639	12



USE WITH PS5008A™/PS5009A™

Part #	Description	UPC	Case Quantity
PS5008B-Q	2K Urethane Primer Hardener	842027103070	12
PS5008B-8	2K Urethane Primer Hardener	842027103063	12



USE WITH PS5011™/PS5012A™/PS5015™

Part #	Description	UPC	Case Quantity
PS5012B-Q	2K 2.1 VOC Primer Hardener	842027103148	12
PS5012B-8	2K 2.1 VOC Primer Hardener	842027103131	12



USE WITH SYSTEM 28™

Part #	Description	UPC	Case Quantity
PO28AN-Q	2K 2.8 VOC Polyurethane Hardener Normal	842027102769	12



USE WITH SYSTEM 35™

Part #	Description	UPC	Case Quantity
PO35AN-Q	2K 3.5 VOC Polyurethane Hardener Normal	842027102776	12
PO35AS-Q	2K 3.5 VOC Polyurethane Hardener Slow	842027102783	12



Paint Warranty

We stand behind our products with a Paint Warranty ensuring our customer's trust and confidence in our products.

Contact us.
1.855.6.AXALTA
montanabigsky.us

© 2019 Axalta Coating Systems, LLC and all affiliates. All rights reserved.
LH252 (02/19)

An Axalta Coating Systems Brand

